

OpenArray® system

Publications on genotyping and real-time PCR

Genotyping

2011

Yeung EH, Cuilin Z et al. (2011) Polymorphisms in the neuropeptide Y gene and the risk of obesity: findings from two prospective cohorts. *J Clin Endocrinol Metab* 96: E2055–E2062.

Qi L, Parast L et al. (2011) Genetic susceptibility to coronary heart disease in type 2 diabetes: 3 independent studies. *J Am Coll Cardiol* 58:2675–2682.

Vanasse GJ, Jeong JY et al. (2011) A polymorphism in the leptin gene promoter is associated with anemia in patients with HIV disease. *Blood* 118:5401–5408.

Matisse TC, Ambite JL et al. (2011) The next PAGE in understanding complex traits: design for the analysis of population architecture using genetics and epidemiology (PAGE) study. *Am J Epidemiol* 174:849–859.

Yubero-Serrano EM, Gonzalez-Guardia L et al. (2011) Mediterranean diet supplemented with coenzyme Q10 modifies the expression of proinflammatory and endoplasmic reticulum stress-related genes in elderly men and women. *J Gerontol A Biol Sci Med Sci* Oct 20 ePub.

Danoy P, Wei M et al. (2011) Association of variants in MMEL1 and CTLA4 with rheumatoid arthritis in the Han Chinese population. *Ann Rheum Dis* 70:1793–1797.

Prescott J, McGrath M et al. (2011) Telomere length and genetic analyses in population-based studies of endometrial cancer risk. *Cancer* 116:4275–4282.

Nan H, Xu M et al. (2011) Genome-wide association study identifies novel alleles associated with risk of cutaneous basal cell carcinoma and squamous cell carcinoma. *Hum Mol Genet* 20:3718–3724.

Rebbeck TR, Mitra N et al. (2011) Modification of BRCA1-associated breast and ovarian cancer risk by BRCA1-interacting genes. *Cancer Res* 71:5792–5805.

Gu A, Ji G et al. (2011) Assessment of an association between an aryl hydrocarbon receptor gene (AHR) polymorphism and risk of male infertility. *Toxicol Sci* May 2011 ePub:415–421.

Cheng I, Caberto CP et al. (2011) Type 2 diabetes risk variants and colorectal cancer risk: the multiethnic cohort and PAGE studies. *Gut* May 2011 10.1136/gut.2011.237727.

Han J, Qureshi AA et al. (2011) A germline variant in the interferon regulatory factor 4 gene as a novel skin cancer risk locus. *Cancer Res* 71:1533–1539.

Duncan EL, Danoy P et al. (2011) Genome-wide association study using extreme truncate selection identifies novel genes affecting bone mineral density and fracture risk. *PLoS Genet* 7(4):e1001372.

Davidson SI, Liu Y et al. (2011) Association of STAT3 and TNFRSF1A with ankylosing spondylitis in Han Chinese. *Ann Rheum Dis* 70:289–292.

Lopez-Gomez C, Fernandez O et al. (2011) TRAIL/TRAIL receptor system and susceptibility to multiple sclerosis. *PLoS One* 6(7):e21766.

2010

Danoy P et al. (2010) Association of variants at 1q32 and STAT3 with ankylosing spondylitis suggests genetic overlap with Crohn's disease. *PLoS Genet* 6(12):e1001195.

Hopp K et al. (2010) High-throughput red blood cell antigen genotyping using a nanofluidic real-time polymerase chain reaction platform. *Transfusion* 50:40–46.

He M et al. (2010) Obesity genotype score and cardiovascular risk in women with type 2 diabetes mellitus. *Arterioscler Thromb Vasc Biol* 30:327–332.

Shen J et al. (2010) Multiple genetic variants in telomere pathway genes and breast cancer risk. *Cancer Epidemiol Biomarkers Prev* 19:219–228.

Li J, Makrigiorgos GM (2010) s-RT-MELT: a novel technology for mutation screening. *Methods Mol Biol* 653:207–219.

Davidson SI et al. (2010) Association of STAT3 and TNFRSF1A with ankylosing spondylitis in Han Chinese. *Ann Rheum Dis* Nov 10 ePub.

Chu AY et al. (2010) NOS1AP variant associated with incidence of type 2 diabetes in calcium channel blocker users in the Atherosclerosis Risk in Communities (ARIC) study. *Diabetologia* 53:510–516.

Stahl EA et al. (2010) Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. *Nat Genet* 42:508–514.

McGrath M et al. (2010) Common genetic variation within IGFI, IGFII, IGFBP-1, and IGFBP-3 and endometrial cancer risk. *Gynecol Oncol* 120:174–178.

2009

Pomeroy R et al. (2009) A low-cost, high-throughput, automated single nucleotide polymorphism assay for forensic human DNA applications. *Anal Biochem* 395:61–67.

Kao WHL et al. (2009) Genetic variations in NOS1AP are associated with sudden cardiac death in U.S. white community based populations. *Circulation* 119:940–951.

Roberts D et al. (2009) A nanoliter fluidic platform for large-scale single nucleotide polymorphism genotyping. *Biotechniques* 46(3 Suppl):Pix–Pxiii.

Arkin DE et al. (2009) Multiple independent genetic factors at NOS1AP modulate the QT interval in a multi-ethnic population. *PLoS ONE* 4(1):e4333.

Cornelis MC et al. (2009) *TCF7L2*, dietary carbohydrate, and risk of type 2 diabetes in US women. *Am J Clin Nutr* 89:1256–1262.

Cornelis MC et al. (2009) Joint effects of common genetic variants on the risk for type 2 diabetes in U.S. men and women of European ancestry. *Ann Intern Med* 150:541–550.

Lu Q et al. (2009) Genetic predisposition, western dietary pattern, and the risk of type 2 diabetes in men. *Am J Clin Nutr* 89(5):1453–1458.

Nan H et al. (2009) Genetic variants in pigmentation genes, pigmentary phenotypes, and risk of skin cancer in Caucasians. *Int J Cancer* 125:909–917.

2008

Han J et al. (2008) A genome-wide association study identifies novel alleles associated with hair color and skin pigmentation. *PLoS Genet* 16:e1000074.

Qi L et al. (2008) The common obesity variant near MC4R gene is associated with higher intakes of total energy and dietary fat, weight change and diabetes risk in women. *Hum Mol Genet* 17:3502–3508.

Gu F et al. (2008) Interleukin and interleukin receptor gene polymorphisms and susceptibility to melanoma. *Melanoma Res* 18:330–335.

Real-time PCR

2011

Caskey M, Lefebvre L et al. (2011) Synthetic double-stranded RNA induces innate immune responses similar to a live viral vaccine in humans. *J Exp Med* 208:2357–2366.

Gonzales TK, Kulow M et al. (2011) A high-throughput OpenArray qPCR gene panel to identify, virulotype, and subtype O157 and non-O157 enterohemorrhagic *Escherichia coli*. *Mol Cell Probes* 25:222–230.

Sayan AE, Stanford R et al. (2011) Fra-1 controls motility of bladder cancer cells via transcriptional upregulation of the receptor tyrosine kinase AXL. *Oncogene* Aug 8 ePub.

Fabian G, Farago N et al. (2011) High-density real-time PCR-based *in vivo* toxicogenomic screen to predict organ-specific toxicity. *Int J Mol Sci* 12:6116–6134.

2010

Schummer M et al. (2010) Comparison of breast cancer to healthy control tissue discovers novel markers with potential for prognosis and early detection. *PLoS ONE* 5(2): e9122.

2009

Van Doorn R et al. (2009) Accurate quantification of microorganisms in PCR-inhibiting environmental DNA extracts by a novel internal amplification control approach using Biotrove OpenArrays. *Appl Environ Microbiol*: 7253–7260.

Vass L et al. (2009) Toxicogenomics screening of small molecules using high-density, nanocapillary real-time PCR. *Int J Mol Med* 23:65–74.

Brenan CJ et al. (2009) Nanoliter high-throughput PCR for DNA and RNA profiling. *Methods Mol Bio* 496:161–174.

Faragó N, Fehér LZ et al. (2011) MicroRNA profile of polyunsaturated fatty acid treated glioma cells reveal apoptosis-specific expression changes. *Lipids Health Dis* 10:173.

Abdelaziz DH, Gavrilin MA et al. (2011) Asc-dependent and independent mechanisms contribute to restriction of legionella pneumophila infection in murine macrophages. *Front Microbiol* 2:18.

Grigorenko E et al. (2011) miRNA profiling on high-throughput OpenArray™ system. *Methods Mol Biol* 676:101–110.

Erickson H et al. (2010) High throughput screening of normal and neoplastic tissue samples. *Comb Chem High Throughput Screen* 13(3):253–267.

Dixon JM et al. (2009) Nanoliter high-throughput RT-qPCR: a statistical analysis and assessment. *Biotechniques* 46(6):ii–viii.

Munger SC et al. (2009) Elucidation of the transcription network governing mammalian sex determination by exploiting strain-specific susceptibility to sex reversal. *Genes Dev* 23:2521–2536.

2008

Stedtfeld RD et al. (2008) Development and experimental validation of a predictive threshold cycle equation for quantification of virulence and marker genes by high-throughput nanoliter-volume PCR on the OpenArray platform. *Appl Environ Microbiol* 74:3831–3838.

2006

Morrison T et al. (2006) Nanoliter high throughput quantitative PCR. *Nucleic Acid Res* 34(18):e123.

Mumford R et al. (2006) Advances in molecular phytoagnostics—new solutions for old problems. *Eur J Plant Pathol* 116:1–19.

2007

van Doorn R et al. (2007) Quantitative multiplex detection of plant pathogens using a novel ligation probe-based system coupled with universal, high-throughput real-time PCR on OpenArrays. *BMC Genomics* 8:276.

Puskás LG et al. (2006) High throughput functional genomic methods to analyze the effects of dietary lipids. *Curr Pharm Biotechnol* 7:525–529.